


Explosion-Proof Aluminum ATEX Approved Connection Head Code 20



- ATEX approved explosion proof.
- Meets NEMA 4 requirements.
- Standard Style instrument connection head suitable for temperature sensor assemblies.
- Connection head supplied with terminal block unless a Weed Instrument Sensor Mate[®] temperature transmitter is ordered.

| Code | Description |
|-------|--|
| 20 | Explosion-Proof Aluminum ATEX Approved |
| Code | General Extension Style and Material |
| A | None. For sensors with threaded instrument connections (i.e. model 305); or when ordered as a stand alone. |
| F | Nipple extension - Series 300 stainless steel (F=00 for close nipple). |
| G | Nipple/union Series 300 stainless steel 3" minimum. |
| H | Nipple/union/nipple Series 300 stainless steel 3" minimum. |
| J | Union/nipple - Series 300 stainless steel 3" minimum. |
| Code | Extension Length ("B" Dimension) |
| 00 | 0" (close nipple) |
| 10 | 1" (nipple extension only) |
| 20 | 2" (nipple extension only) |
| 30 | 3" (minimum with union) |
| 40 | 4" |
| 50 | 5" |
| 60 | 6" |
| Other | Specify length |
| Code | Head Connections (Instrument x Conduit) |
| A | 1/2" NPT x 1/2" NPT |
| Code | Gasket Type |
| 1 | Weatherproof - 200°F maximum - Industry Standard. |

| | | | | |
|----|---|----|---|---|
| 20 | A | 00 | D | 1 |
| | | | | |

Sample Model Number
Your Model Number

